Author Index

ABE T. & NAWA Y. Worm expulsion and mucosal mast cell response induced by repetitive IL-3 administration in *Strongyloides ratti*-infected nude mice, 181
ABRUZZINI A.F. *see* SPLITTER G.A.
AIHARA Y. & KLEIN J. 'Autoreactivity' of some hybridomas may be caused by a three-cell interaction, 389
ALLAN J.E. *see* TABI Z.
ALLANSMITH M.R. *see* SULLIVAN D.A.
ALVAREZ S. *see* PERDIGÓN G.
ANDREW E.M. *see* BRENNAN F.M.
ANDRIGHETTO G. *see* ZÖLLER M.
ARDAVIN C. *see* TOURNEFIER A.
AUGER C. *see* FABIEN N.
AUSTYN J.M. & MORRIS P.J. T-cell activation by dendritic cells: CD18-dependent clustering is not sufficient for mitogenesis, 537
AUSTYN J.M., WEINSTEIN D.E. & STEINMAN R.M. Clustering with dendritic cells precedes, and is essential for, T-cell proliferation in a mitogenesis model, 691
AVRAMEAS S. *see* GONZALEZ R.

BAKKE O. *see* WAAGE A.
BALDWIN C.L., MACHUGH N.D., ELLIS J.A., NAESSENS J., NEWSON J. & MORRISON W.I. Monoclonal antibodies which react with bovine T-lymphocyte antigens and induce blastogenesis: tissue distribution and functional characteristics of the target antigens, 439
BALDWIN C.L. *see* DAVIS W.C.
BALLHAUS S. *see* ENDERS G.A.
BARCZYNSKI L.K. *see* WING E.J.
BARKER M.D. *see* SHETH B.
BATES E.J. *see* FERRANTE A.
BEARD L.J. *see* FERRANTE A.
BEATTY P.G. *see* PRIETO J.
BERBIGUIER N. *see* DEL GIUDICE G.
BERGER B. *see* SCHÖNERMARK S.
BERTON G. *see* CASSATELLA M.A.
BEVERLEY P.C.L. *see* MERKENSCHLAGER M.
BEZOS A. *see* WARREN H.S.
BICKLE Q.D. *see* VIGNALI D.A.A.
BIENENSTOCK J. *see* SCICCHITANO R.
BINNS R.M., PABST R. & LICENCE S.T. Subpopulations of T lymphocytes emigrating in venous blood draining pig thymus labelled *in vivo* with flourochrome, 261
BLEACKLEY R.C. *see* WEINBERG A.D.
BOLTZ-NITULESCU G., WILTSCHKE C., LANGER K., NEMET H., HOLZINGER C., GESSL A., FÖRSTER O. & PENNER E. Augmentation of IgE receptor expression and IgE receptor-mediated phagocytosis of rat bone marrow-derived macrophages by murine interferons, 529
BONELLI F. *see* DEL GIUDICE G.
BOREL J.F. *see* FEURER C.
BOSE R., EKRAMODDOULLAH A.K.M., KISIL F.T. & SEHON A.H. Human and murine antibodies to Rye grass pollen allergen *Lolp*IV share a common idiotope, 579
BOULTON P. *see* TURNER M.W.
BRANDON M.R. *see* LEE C.S.
BREEL M., MEBIUS R. & KRAAL G. The interaction of interdigitating cells and lymphocytes *in vitro* and *in vivo*, 331
BREEL M., VAN DER ENDE M., SMINIA T. & KRAAL G. Subpopulation of lymphoid and non-lymphoid cells in bronchus-associated lymphoid tissue (BALT) of the mouse, 657
BRENDEL W. *see* ENDERS G.A.
BRENNAN F.M., ANDREW E.M., WILLIAMS D.G. & MAINI R.N. Anti-nRNP anti-nuclear antibody-secreting cells are represented in the B-lymphocyte repertoire of normal and MRL/MP-1pr/1pr Lupus mice, 213
BRETT S.J. & BUTLER R. Macrophage activity in resistant and susceptible mouse strains infected with *Mycobacterium lepraemurium*, 701
BRIDGES C.G., LEDGER N. & EDINGTON N. The characterization of equine herpes virus-1 infected-cell polypeptides recognized by equine lymphocytes, 193
BRINES R. & LEHNER T. Characterization of human $T8^+$ suppressor and contrasuppressor cells, separated by the lectin *Vicia villosa*, 247
BRITTEN D. *see* HOLT P.G.
BROOKS C.F. & MOORE M. Differential MHC class II expression on human peripheral blood monocytes and dendritic cells, 303
BROWNING M.J. *see* LAMONT A.G.
BULMER J.N., MORRISON L. & SMITH J.C. Expression of class II MHC gene products by macrophages in human uteroplacental tissue, 707
BURTON D.R. *see* DRANSFIELD I.
BURTON D.R. *see* SHETH B.
BUTLER L., SIMMONS B., ZIMMERMANN J., DERISO P., PHADKE K. & HOM J. Regulation of cellular and humoral immune responses to collagen type I or collagen type II, 611
BUTLER R. *see* BRETT S.J.
BUTTERWORTH A.E. *see* THORNE K.J.I.

CALKINS C.E. *see* MILLER R.D.
CAPPELLI R. *see* CASSATELLA M.A.
CASE G. *see* LIN Y.
CASSATELLA M.A., CAPPELLI R., DELLA BIANCA V., GRZESKOWIAK M., DUSI S. & BERTON G. Interferon-gamma activates human neutrophil oxygen metabolism and exocytosis, 499
CASTAÑEDA S. *see* HERRERO-BEAUMONT G.
CAUGHEY G.H., LAZARUS S.C., VIRO N.F., GOLD W.M. & NADEL J.A. Tryptase and chymase: comparison of extraction and release in two dog mastocytoma lines, 339
CAYRE Y. *see* STEFFEN M.
CEREDIG R.H. *see* TABI Z.
CHAI J.-Y. & LILLEHOJ H.S. Isolation and functional characterization of chicken intestinal intra-epithelial lymphocytes showing natural killer cell activity against tumour target cells, 111
CHARLEMAGNE J. *see* GONZALEZ R.
CHARLEMAGNE J. *see* TOURNEFIER A.
CHENG Q. *see* DEL GIUDICE G.
CHIZZOLINI C. *see* DEL GIUDICE G.
CHOW L.H. *see* FEURER C.
CHRISTMAS S.E., STEWARD W.P., LYON M., GALLAGHER J.T. & MOORE M. Chondroitin sulphate proteoglycan production by NK cells and T cells: effects of xylosides on proliferation and cytotoxic function, 225
CLAASSEN E. *see* GROENEVELD P.H.P.
CLARK E.A. *see* PRIETO J.
COGLIANO R. *see* KRIS R.M.
CONTI A. *see* MAESTRONI G.J.M.
CONZEN S.D. & JANEWAY C.A. Defective antigen presentation in chronically protein-deprived mice, 683
COOKE A. *see* PARISH N.M.
COOPER J.A. *see* DEL GIUDICE G.
CORCORAN D. *see* DRANSFIELD I.
CREMER M.A. *see* HERNANDEZ A.D.
CUSHLEY W. *see* HASHIM O.H.

DAHA M.R. *see* MILTENBURG A.M.
DAVID A. *see* MOAV N.
DAVIS W.C., ELLIS J.A., MACHUGH N.D. & BALDWIN C.L. Bovine pan

T-cell monoclonal antibodies reactive with a molecule similar to CD2, 165
Del Giudice G., Cheng Q., Mazier D., Berbiguier N., Cooper J.A., Engers H.D., Chizzolini C., Verdini A.S., Bonelli F., Pessi A. & Lambert P.-H. Immunogenicity of a non-repetitive sequence of *Plasmodium falciparum* circumsporozoite protein in man and mice, 187
Della Bianca V. *see* Cassatella M.A.
DeRiso P. *see* Butler L.
Deutsch H.F. *see* Kim H.S.
Dierich M.P. *see* Petzer A.L.
Dijkstra C.D. *see* Van Rees E.P.
Dobbs J.F. & Katz D.R. Human T-cell activation: comparative studies on the role of different phorbol esters, 133
Dobson C. *see* Opdebeeck J.P.
Doherty P.C. *see* Tabi Z.
Dornand J. *see* Sekkat C.
Draghi E. *see* Moav N.
Dransfield I., Corcoran D., Partridge L.J., Hogg N. & Burton D.R. Comparison of human monocytes isolated by elutriation and adherence suggests that heterogeneity may reflect a continuum of maturation/activation states, 491
Dransfield I. *see* Sheth B.
Dusi S. *see* Cassatella M.A.

Ebersole J.L. *see* Pappo J.
Edington N. *see* Bridges C.G.
Egido J. *see* Herrero-Beaumont G.
Eigentler A. *see* Petzer A.L.
Ekramoddoullah A.D.M. *see* Bose R.
Ellis J.A. *see* Baldwin C.L.
Ellis J.A. *see* Davis W.C.
Enders G.A., Ballhaus S. & Brendel W. The influence of Peyer's patches on the organ-specific distribution of IgA plasma cells, 411
Engers H.D. *see* Del Giudice G.
Escanero J.F. *see* Herrero-Beaumont G.
Eskra L. *see* Splitter G.A.
Etcheverrigaray M., Paladini A.G. & Retegui L.A. Stochastic humoral expression of human growth hormone epitopes, 595

Fabien N., Auger C. & Monier J.-C. Immunolocalization of thymosin alpha 1, thymopoietin and thymulin in mouse thymic epithelial cells at different stages of culture: a light and electron microscopic study, 721
Ferrante A., Nandoskar M., Bates E.J., Goh D.H.B. & Beard L.J. Tumour necrosis factor beta (lymphotoxin) inhibits locomotion and stimulates the respiratory burst and degranulation of neutrophils, 507
Feurer C., Chow L.H. & Borel J.F. Preventive and therapeutic effects of cyclosporin and valine^2-dihydro-cyclosporin in chronic relapsing experimental allergic encephalomyelitis in the Lewis rat, 219
Fiedel B.A. Platelet response to aggregated C-reactive protein: fibrinogen-dependent and independent signals, 169
Filsinger S. *see* Schönermark S.
Forrester J.V. *see* Liversidge J.
Förster O. *see* Boltz-Nitulescu G.
Frank M.M. *see* Malbran A.
Fries L.F. *see* Malbran A.

Gallagher J.T. *see* Christmas S.E.
Gaudry M., Perianin A., Marquetty C. & Hakim J. Negative effect of a protein kinase *C* inhibitor (H-7) on human polymorphonuclear neutrophil locomotion, 715
Gerber M. *see* Sekkat C.
Gessel A. *see* Boltz-Nitulescu G.
Gibson S. *see* Turner M.W.
Gilead L., Rahamim E., Ziv I., Or R. & Razin E. Cultured human bone marrow-derived mast cells, their similarities to cultured murine E-mast cells, 669
Gogolin-Ewens K. *see* Lee C.S.
Goh D.H.B. *see* Ferrante A.
Gold D. *see* Moav N.
Gold W.M. *see* Caughey G.H.
Goldman R. Induction of a β-1,3-D-glucan receptor in P388D1 cells treated with retinoic acid or 1,25-dihydroxyvitamin D_3, 319
González E. *see* Herrero-Beaumont G.
Gonzalez R., Charlemagne J., Mahana W. & Avrameas S. Specificity of natural serum antibodies present in phylogenetically distinct fish species, 31
Gordon J.R. & McLaren D.J. Immunity to *Schistosoma mansoni* in guinea-pigs vaccinated with radiation-attenuated cercariae. T-cell activation of macrophages for larval killing, 173
Groeneveld P.H.P., Claassen E., Kuper C.F. & Van Rooijen N. The role of macrophages in LPS-induced lethality and tissue injury, 521
Grzeskowiak M. *see* Cassatella M.A.
Guillet F. *see* Tournefier A.

Hadar R. *see* Rabinowitz R.
Hakim J. *see* Gaudry M.
Handa T. *see* Watanabe Y.
Hänsch G.M. *see* Schönermark S.
Harada N. *see* Koyama N.
Hard R.C., Patel M.R., Keller L.M. & Linna T.J. Unfractionated spleen cells but not natural killer (NK) cells from RFM donors prevent the progression of host-versus-graft disease in murine RFM/(T_6 × RFM)F_1 chimeras, 457
Hashim O.H. & Cushley W. Simultaneous inhibition of multiple steps in the processing of N-linked oligosaccharides does not impair immunoglobulin secretion from rat hybridoma cells, 383
Hay R.C. *see* Thanavala Y.M.
Hébert J. *see* Mourad W.
Hernandez A.D., Cremer M.A., Townes A.S., Stuart J.M. & Kang A.H. The immune response of guinea-pigs to type II collagen: poor cross-reactivity with homologous type II collagen accounts for resistance to collagen-induced arthritis, 619
Herrero-Beaumont G., Egido J., Sancho J., González E., Castañeda S. & Escanero J.F. Defective function of the mononuclear phagocytic system in rats with chronic nephritis. Evidence of a decreased degradation of IgG aggregates by Kupffer cells, 87
Hogg N. *see* Dransfield I.
Holt P.G., Vines J. & Britten D. Suppression of IgE responses by antigen inhalation: failure of tolerance mechanism(s) in newborn rats, 591
Holzinger C. *see* Boltz-Nitulescu G.
Hom J. *see* Butler L.
Huang J.-Y., Ward R.E. & Kohler H. Biological mimicry of antigenic stimulation: analysis of the *in vivo* antibody responses induced by monoclonal anti-idiotypic antibodies, 1
Hunt R. *see* McLaren A.
Hurme M. *see* Silvennoinen O.

Jackson L.A. *see* Opdebeeck J.P.
Janeway C.A. *see* Conzen S.D.
Janse E.M. *see* Van Rees E.P.
Jenkinson E.J. *see* Owen J.J.T.
Jungi T.W. *see* Ruegg S.J.

Kang A.H. *see* Hernandez A.D.
Kardamakis D. *see* Merkenschlager M.
Katz D.R. *see* Dobbs J.F.
Katz D.R. *see* Roberts D.
Kawanishi H. & Kiely J. *In vitro* induction of a contrasuppressor immunoregulatory network by polyclonally activated T cells derived from murine Peyer's patches, 415
Keller L.M. *see* Hard R.C.
Kiely J. *see* Kawanishi H.
Kim H.S. & Deutsch H.F. Studies of a human γ-chain epitope related to a complementarity-determining region, 563
Kingston R. *see* Owen J.J.T.
Kirby J.A., Parfett G.J., Reader J.A. & Pepper J.R. Lung transplantation in the rat: a model for study of the cellular mechanisms of allograft rejection, 369
Kisil F.T. *see* Bose R.
Klein J. *see* Aihara Y.
Koga T. *see* Watanabe Y.
Koga Y. *see* Yokoyama M.
Kohler H. *see* Huang J.-Y.
Koyama N., Harada N., Takahashi T., Mita S., Okamura H., Tominaga A. & Takatsu J. Role of recombinant interleukin-1

compared to recombinant T-cell replacing factor/interleukin-5 in B-cell differentiation, 277
KRAAL G. *see* BREEL M.
KRIS R.M., YETTER R.A., COGLIANO R., RAMPHAL R. & SMALL P.A. Passive serum antibody causes temporary recovery from influenza virus infection of the nose, trachea and lung of nude mice, 349
KUPER C.F. *see* GROENEVELD P.H.P.

LAMBERT P.-H. *see* DEL GIUDICE G.
LAMONT A.G., MOWAT A. MCI., BROWNING M.J. & PARROTT D.M.V. Genetic control of oral tolerance to ovalbumin in mice, 737
LANGER K. *see* BOLTZ-NITULESCU G.
LAZARUS S.C. *see* CAUGHEY G.H.
LEDGER N. *see* BRIDGES C.G.
LEDUC L.E. *see* MOORE T.C.
LEE C.S., GOGOLIN-EWENS K. & BRANDON M.R. Identification of a unique lymphocyte subpopulation in the sheep uterus, 157
LEHNER T. *see* BRINES R.
LEVINSKY R.J. *see* TURNER M.W.
LICENCE S.T. *see* BINNS R.M.
LILLEHOJ H.S. *see* CHAI J.-Y.
LIN Y., CASE G. & PATEK P.Q. Inhibition of tumour necrosis factor and natural cytotoxic cell lytic activities by a spleen cell-elaborated factor, 663
LINNA T.J. *see* HARD R.C.
LIVERSIDGE J., SEWELL H.F., THOMSON A.W. & FORRESTER J.V. Lymphokine-induced MHC class II antigen expression on cultured retinal pigment epithelial cells and the influence of cyclosporin A, 313
LOVELAND B. *see* SPONAAS A.-M.
LUFT B.J., PEDROTTI P.W. & REMINGTON J.S. *In vitro* generation of adherent mononuclear suppressor cells to Toxoplasma antigen, 643
LUTJE V. *see* NAESSENS J.
LYON M. *see* CHRISTMAS S.E.

MCGEE D.W. & MCMURRAY D.N. The effect of protein malnutrition on the IgA immune response in mice, 25
MACHUGH N.D. *see* BALDWIN C.L.
MACHUGH N.D. *see* DAVIS W.C.
DE MACIAS M.E.N. *see* PERDIGÓN G.
MCLAREN A., HUNT R. & SIMPSON E. Absence of any antigen recognized by T lymphocytes in X/X*Sxr*′ male mice, 447
MCLAREN D.J. *see* GORDON J.R.
MCMURRAY D.N. *see* MCGEE D.W.
MCPHEE C.A. *see* THOMSON A.W.
MCPHUN V. *see* WARREN H.S.
MAESTRONI G.J.M., CONTI A. & PIERPAOLI W. Role of the pineal gland in immunity. III. Melatonin antagonizes the immunosuppressive effect of acute stress via an opiatergic mechanism, 465
MAGEE D.M. *see* WING E.J.
MAGNUSON J.A. *see* WEINBERG A.D.
MAGNUSON N.S. *see* WEINBERG A.D.
MAHANA W. *see* GONZALEZ R.
MAINI R.N. *see* BRENNAN F.M.
MALBRAN A., SIWIK S., FRANK M.M. & FRIES L.F. CR1-receptor recycling in phorbol ester-activated polymorphonuclear leucocytes, 325
MALE D. & PRYCE G. Kinetics of MHC gene expression and mRNA synthesis in brain endothelium, 37
MANOGUE K.R. *see* STEFFEN M.
MANTOVANI M. *see* VILLA M.L.
MARQUETTY C. *see* GAUDRY M.
MAZIER D. *see* DEL GIUDCIE G.
MEBIUS R. *see* BREEL M.
MEIJER-PAAPE M.E. *see* MILTENBURG A.M.M.
MERKENSCHLAGER M., KARDAMAKIS D., RAWLE F.C., SPURR N. & BEVERLEY P.C.L. Rate of incorporation of radiolabelled nucleosides does not necessarily reflect the metabolic state of cells in culture: effects of latent mycoplasma contamination, 125
MILLER H.R.P. *see* TURNER M.W.
MILLER R.D. & CALKINS C.E. Active role of T cells in promoting an *in vitro* autoantibody response to self erythrocytes in NZB mice, 625
MILTENBURG A.M.M., MEIJER-PAAPE M.E., DAHA M.R. & PAUL L.C. Lymphokine-activated killer cells lyse human renal cancer cell lines and cultured normal kidney cells, 729
MITA S. *see* KOYAMA N.
MITSUYAMA M. *see* WATANABE Y.
MOAV N., DRAGHI E., DAVID A. & GOLD D. Anti-*Trichomonas vaginalis* monoclonal antibodies inducing complement-dependent cytotoxicity, 63
MÖLLER P. *see* MOMBURG F.
MOMBURG F. & MÖLLER P. Non-co-ordinate expression of HLA-DR antigens and invariant chain, 551
MONIER J.-C. *see* FABIEN N.
MOORE M.A.S. *see* STEFFEN M.
MOORE M. *see* BROOKS C.F.
MOORE M. *see* CHRISTMAS S.E.
MOORE M.J. *see* THANAVALA Y.M.
MOORE T.C., SPRUCK C.H. & LEDUC L.E. Depression of lymphocyte traffic in sheep by anaesthesia and associated changes in efferent-lymph PGE_2 and antibody levels, 139
MORGAN B.P. Non-lethal complement membrane attack on human neutrophils: transient cell swelling and metabolic depletion, 71
MORRIS A.G. *see* TOMKINS P.T.
MORRIS P.J. *see* AUSTYN J.M.
MORRIS P.J. *see* QUIGLEY R.L.
MORRISON L. *see* BULMER J.N.
MORRISON W.I. *see* BALDWIN C.L.
MOURAD W., PELLETIER H. & HÉBERT J. Characterization of anti-idiotypic antibodies and their use as probes for determination of shared idiotopes expressed on murine and human IgE anti-rye I antibodies, 397
MOWAT A.MCI. *see* LAMONT A.G.
MOYNES B.L. *see* PETZER A.L.
MUKHERJEE S. *see* ROBERTS D.
MUNRO A.J. *see* PULLEN A.M.

NADEL J.A. *see* CAUGHEY G.H.
NAESSENS J., NEWSON J., WILLIAMS D.J.L. & LUTJE V. Identification of isotypes and allotypes of bovine immunoglobulin M with monoclonal antibodies, 569
NAESSENS J. *see* BALDWIN C.L.
NAKANO H. *see* YOKOYAMA M.
NANDOSKAR M. *see* FERRANTE A.
NAWA Y. *see* ABE T.
NEMET H. *see* BOLTZ-NITULESCU G.
NEWSON J. *see* BALDWIN C.L.
NEWSON J. *see* NAESSENS J.
NOMOTO K. *see* WATANABE Y.
NOMOTO K. *see* YAKOYAMA M.

OKAMURA H. *see* KOYAMA N.
OLIVER G. *see* PERDIGÓN G.
O'NEILL H.C. Restricted blocking of cytotoxic T-cell function by anti-H-2K/D antibodies, 241
OPDEBEECK J.P., WONG J.Y.M., JACKSON L.A. & DOBSON C. Vaccines to protect Hereford cattle against the cattle tick, *Boophilus microphus*, 363
OR R. *see* GILEAD L.
OWEN J.J.T., OWEN M.J., WILLIAMS G.R., KINGSTON R. & JENKINSON E.J. The effects of anti-CD3 antibodies on the development of T-cell receptor $\alpha\beta^+$ lymphocytes in embryonic thymus organ cultures, 639
OWEN M.J. *see* OWEN J.J.T.

PABST R. *see* BINNS R.M.
PAETKAU V. *see* WEINBERG A.D.
PALADINI A.C. *see* ETCHEVERRIGARAY M.
PAPPO J., EBERSOLE J.L. & TAUBMAN M.A. Resident salivary gland macrophages function as accessory cells in antigen-dependent T-cell proliferation, 99
PARFETT G.J. *see* KIRBY J.A.
PARISH C.R. *see* WARREN H.S.
PARISH N.M., RAYNER D., COOKE A. & ROITT I.M. An investigation of the nature of induced suppression to experimental autoimmune thyroiditis, 199
PARROTT D.M.V. *see* LAMONT A.G.
PARTRIDGE L.J. *see* DRANSFIELD I.
PARTRIDGE L.J. *see* SHETH B.
PATARROYO M. *see* PRIETO J.

PATEK P.Q. *see* LIN Y.
PATEL M.R. *see* HARD R.C.
PAUL L.C. *see* MILTENBURG A.M.M.
PEDROTTI P.W. *see* LUFT B.J.
PELLETIER G. *see* MOURAD W.
PENNER E. *see* BOLTZ-NITULESCU G.
PEPPER J.R. *see* KIRBY J.A.
PEPYS M.B. *see* VIGNALI D.A.A.
PERDIGÓN G., DE MACIAS M.E.N., ALVAREZ S., OLIVER G. & DE RUIZ HOLGADO A.P. Systemic augmentation of the immune response in mice by feeding fermented milks with *Lactobacillus casei* and *Latobacillus acidophilus*, 17
PERIANIN A. *see* GAUDRY M.
PESSI A. *see* DEL GIUDICE G.
PETZER A.L., SCHULZ T.F., STAUDER R., EIGENTLER A., MOYNES B.L. & DIERICH M.P. Structural and functional analysis of CR2/EBV receptor by means of monoclonal antibodies and limited tryptic digestion, 47
PHADKE K. *see* BUTLER L.
PIERPAOLI W. *see* MAESTRONI G.J.M.
PRIETO J., BEATTY P.G., CLARK E.A. & PATARROYO M. Molecules mediating adhesion of T and B cells, monocytes and granulocytes to vascular endothelial cells, 631
PRYCE G. *see* MALE D.
PULLEN A.M. & MUNRO A.J. Fetal calf serum stimulates 'autoreactive' T-cell hybridomas, 255

QUIGLEY R.L., WOOD K.J. & MORRIS P.J. Investigation of the mechanism of active enhancement of renal allograft survival by blood transfusion, 373

RABINOWITZ R., THOMAS D.B., HADAR R. & SCHLESINGER M. Idiotypic determinants on monoclonal autoantibodies to the Thy-1 antigen, 9
RAHAMIM E. *see* GILEAD L.
RAMPHAL R. *see* KRIS R.M.
RAWLE F.C. *see* MERKENSCHLAGER M.
RAYNER D. *see* PARISH N.M.
RAZIN E. *see* GILEAD L.
READER J.A. *see* KIRBY J.A.
REES A.J. *see* WEETMAN A.P.
REES R.C. *see* VALLELY P.J.
REEVES R. *see* WEINBERG A.D.
REMINGTON J.S. *see* LUFT B.J.
RETEGUI L.A. *see* ETCHEVERRIGARAY M.
RICHARDSON B.A. *see* THORNE K.J.I.
ROBERTS D., KATZ D.R., MUKHERJEE S. & ROOK G.A.W. Induction of delayed-type hypersensitivity responses to PPD: dendritic cells in synergy with 5-hydroxytryptamine can substitute for macrophages, 697
ROBINS R.A. *see* YEOMAN H.
ROITT I.M. *see* PARISH N.M.
ROITT I.M. *see* THANAVALA Y.M.
ROOK G.A.W. *see* ROBERTS D.
RÜEGG S.J. & JUNG T.W. Antibody-mediated erythrolysis and erythrophagocytosis by human monocytes, macrophages and activated macrophages. Evidence for distinction between involvement of high-affinity and low-affinity receptor for IgG by using different erythroid target cells, 513
DE RUIZ HOLGADO A.P. *see* PERDIGÓN G.

SANCHO J. *see* HERRERO-BEAUMONT G.
SCHLESINGER M. *see* RABINOWITZ R.
SCHÖNERMARK S., FILSINGER S., BERGER B. & HÄNSCH G.M. The C8-binding protein of human erythrocytes: interaction with the components of the complement-attack phase, 585
SCHULZ T.F. *see* PETZER A.L.
SCICCHITANO R., BIENENSTOCK J. & STANISZ A.M. *In vivo* immunomodulation by the neuropeptide substance P, 733
SEHON A.H. *see* BOSE A.
SEKKAT C., DORNAND J. & GERBER M. Oxidative phenomena are implicated in human T-cell stimulation, 431
SEWELL H.F. *see* LIVERSIDGE J.
SEWELL H.F. *see* THOMSON A.W.
SHARRARD R.M. *see* VALLELY P.J.
SHAW J. *see* WEINBERG A.D.
SHETH B., DRANSFIELD I., PARTRIDGE L.J., BARKER M.D. & BURTON D.R. Dibutyryl cyclic AMP stimulation of a monocyte-like cell line, U937: a model for monocyte chemotaxis and Fc receptor-related functions, 483
SHICHI H. *see* TANOUCHI Y.
SHIELDS J.G. *see* TURNER M.W.
SILVENNOINEN O. & HURME M. Simultaneous development of cells with large granular lymphocyte (LGL) morphology and natural killer (NK) cell lytic activity after bone marrow (BM) transplantation in mice, 105
SIMMONS B. *see* BUTLER L.
SIMPSON E. *see* MCLAREN A.
SIMPSON E. *see* SPONAAS A.-M.
SIWIK S. *see* MALBRAN A.
SMALL P.A. *see* KRIS R.M.
SMINIA T. *see* BREEL M.
SMINIA T. *see* VAN REES E.P.
SMITH J.C. *see* BULMER J.N.
SPLITTER G.A., ESKRA L. & ABRUZZINI A.F. Cloned bovine cytolytic T cells recognize bovine herpes virus-1 in a genetically restricted, antigen-specific manner, 145
SPONAAS A.-M., LOVELAND B. & SIMPSON E. MHC-unrestricted T-cell cytotoxicity against tumour cells, 233
SPRUCK C.H. *see* MOORE T.C.
SPURR N. *see* MERKENSCHLAGER M.
STANISZ A.M. *see* SCICCHITANO R.
STANLEY M. *see* THORNE K.J.I.
STAUDER R. *see* PETZER A.L.
STEFFEN M., CAYRE Y., MANOGUE K.R. & MOORE M.A.S. 1,25-Dihydroxyvitamin D_3 transcriptionally regulates tumour necrosis factor mRNA during HL-60 cell differentiation, 43
STEINMAN R.M. *see* AUSTYN J.M.
STEWARD W.P. *see* CHRISTMAS S.E.
STROBEL S. *see* TURNER M.W.
STUART J.M. *see* HERNANDEZ A.D.
SULLIVAN D.A. & ALLANSMITH M.R. The effect of aging on the secretory immune system of the eye, 403

TABI Z., ALLAN J.E., CEREDIG R.H. & DOHERTY P.C. Lethal vaccinia infection in cyclophosphamide-suppressed mice is associated with decreased expression of Thy-1, Lyt-2 and L3T4 and diminished IL-2 production in surviving T cells, 423
TAKAHASHI T. *see* KOYAMA N.
TAKATSU K. *see* KOYAMA N.
TANIGUCHI K. *see* YOKOYAMA M.
TANOUCHI Y. & SHICHI H. Immunosuppressive and anti-proliferative effects of a macrotetrolide antibiotic, tetranactin, 471
TAUBMAN M.A. *see* PAPPO J.
TAYLOR M.G. *see* VIGNALI D.A.A.
TEDDER R. *see* THANAVALA Y.M.
TENNENT G. *see* VIGNALI D.A.A.
THANAVALA Y.M., MOORE M.J., TEDDER R., HAY F.C. & ROITT I.M. Recognition of several idiotopes on a monoclonal anti-hepatitis B virus surface antigen using monoclonal anti-idiotypic antibodies, 575
THOMAS A.W. *see* LIVERSIDGE J.
THOMAS D.B. *see* RABINOWITZ R.
TOMINAGA A. *see* KOYAMA N.
TOMKINS P.T., WARD G.A. & MORRIS A.G. Role of interferon-gamma in T-cell responses to Semliki Forest virus-infected murine brain cells, 355
THOMSON A.W., MCPHEE C.A. & SEWELL H.F. Increased production of Kurloff cells and accompanying lymphocyte subset changes in immunized guinea-pigs treated with cyclophosphamide and cyclosporin A, 477
THORNE K.J.I., RICHARDSON B.A., BUTTERWORTH A.E. & STANLEY M. Eosinophyl-activating factor (EAF) production by a human cell line (ESH 98) stimulated with tumour necrosis factor, 545
TOURNEFIER A., GUILLET F., ARDAVIN C. & CHARLEMAGNE J. Surface markers of axolotl lymphocytes as defined by monoclonal antibodies, 269
TOWNES A.S. *see* HERNANDEZ A.D.
TURNER M.W., BOULTON P., SHIELDS J.G., STROBEL S., GIBSON S., MILLER H.R.P. & LEVINSKY R.J. Intestinal hypersensitivity reactions

in the rat. I. Uptake of intact protein, permeability to sugars and their correlation with mucosal mast-cell activation, 119

VALENTI F. *see* VILLA M.L.
VALLELY P.J., SHARRARD R.M. & REES R.C. The identification of factors in seminal plasma responsible for suppression of natural killer cell activity, 451
VAN DER ENDE M. *see* BREEL M.
VAN DER ENDE M.B. *see* VAN REES E.P.
VAN REES E.P., DIJKSTRA C.D., VAN DER ENDE M.B., JANSE E.M. & SMINIA T. The ontogenetic development of macrophage subpopulations and Ia-positive non-lymphoid cells in gut-associated lymphoid tissue of the rat, 79
VAN ROOIJEN N. *see* GROENEVELD P.H.P.
VERDINI A.S. *see* DEL GIUDICE G.
VIGNALI D.A.A., BICKLE Q.D., TAYLOR M.G., TENNENT G. & PEPYS M.B. Comparison of the role of complement in immunity to *Schistosoma mansoni* in rats and mice, 55
VILLA M.L., VALENTI F. & MANTOVANI M. Modulation of natural killing by cyclo- and lipo-oxygenase inhibitors, 93
VINES J. *see* HOLT P.G.
VIRO N.F. *see* CAUGHEY G.H.

WAAGE A. & BAKKE O. Glucocorticoids suppress the production of tumour necrosis factor by lipopolysaccharide-stimulated human monocytes, 299
WARD G.A. *see* TOMKINS P.T.
WARD R.E. *see* HUANG J.-Y.
WARREN H.S., MCPHUN V., BEZOS A. & PARISH C.R. The $T11_3$ epitope of the CD2 molecule, sheep erythrocytes, and the alternative T-cell activation pathway, 345
WATANABE Y., MITSUYAMA M., KOGA T., HANDA T., YOSHIKAI Y. & NOMOTO K. Protective immunity to *Listeria monocytogenes* in neonatally thymectomized (NTx) mice: involvement of T cells distinct from those in sham-thymectomized mice, 649
WEETMAN A.P. & REES A.J. Synergistic effects of recombinant tumour necrosis factor and interferon-gamma on rat thyroid cell growth and Ia antigen expression, 285
WEINBERG A.D., SHAW J., PAETKAU V., BLEACKLEY R.C., MAGNUSON N.S., REEVES R. & MAGNUSON J.A. Cloning of cDNA for the bovine IL-2 receptor (bovine 'Tac antigen'), 603
WEINSTEIN D.E. *see* AUSTYN J.M.
WILLIAMS D.G. *see* BRENNAN F.M.
WILLIAMS D.J.L. *see* NAESSENS J.
WILLIAMS G.T. *see* OWEN J.J.T.
WILTSCHKE C. *see* BOLTZ-NITULESCU G.
WING E.J., MAGEE D.M. & BARCZYNSKI L.K. Acute starvation in mice reduces the number of T cells and suppresses the development of T-cell mediated immunity, 677
WONG J.Y.M. *see* OPDEBEECK J.P.
WOOD K.J. *see* QUIGLEYR.L.

YEOMAN H. & ROBINS R.A. The effect of interferon-gamma treatment of rat tumour cells on their susceptibility to natural killer cell, macrophage and cytotoxic T-cell killing, 291
YETTER R.A. *see* KRIS R.M.
YOKOYAMA M., KOGA Y., TANIGUCHI K., NAKANO H. & NOMOTO K. T lymphocytes emigrating from the thymus to the spleen during postpartum regulate serum immunoglobulin levels in mice, 151
YOSHIKAI Y. *see* WATANABE Y.

ZIMMERMANN J. *see* BUTLER L.
ZIV I. *see* GILEAD L.
ZÖLLER M. & ANDRIGHETTO G. Induction of tolerance towards TNP entails down-regulation of an autoimmune attack, 205

Subject Index

Adhesion molecules:
  mediating adhesion to vascular endothelium, 631
Aging, effect on ocular secretory immune system, 403
Allograft, renal:
  enhancement of survival by blood transfusion, 373
Anaesthesia in sheep:
  depression of lymphocyte traffic, changes in efferent-lymph PGE_2 and antibody levels, 139
Antibody-dependent cellular cytotoxicity:
  by human monocytes and macrophages, 513
Antigen presentation, defective:
  in protein-deprived mice, 683
Anti-H-2K/D antibodies:
  restricted blocking of cytotoxic T-cell function, 241
Anti-idiotypic antibodies:
  analysis of *in vivo* antibody responses induced by, 1
Anti-nRNP anti-nuclear antibody-secreting cells:
  in normal and Lupus mice, 213
Arthritis, collagen-induced:
  poor cross-reactivity and resistance to, 619
Augmentation of immune response:
  by feeding fermented milks, 17
Autoantibody response:
  T-cell mediated, to self erythrocytes, 625
Autoimmune thyroiditis, experimental:
  nature of induced suppression to, 199
Autoreactivity of hybridomas:
  caused by three-cell interaction, 389
Axolotl lymphocytes:
  surface markers defined by monoclonal antibodies, 269

BALT, of mouse:
  subpopulations of lymphoid and non-lymphoid cells, 657
B-cell differentiation:
  role of IL-1 compared to TRF/IL-5, 277
Blood transfusion:
  and enhancement of renal allograft survival, 373

Cattle tick:
  protection by vaccines, 363
C8-binding protein:
  of human erythrocytes, 585
CD2 $T11_3$ epitope and T-cell activation, 345
CD18-dependent clustering and mitogenesis, 537
λ-chain epitope, human:
  related to a complementarity-determining region, 563
Chrondroitin sulphate proteoglycan:
  production by NK cells and T cells, 225
Chronic relapsing EAE:
  effects of cyclosporin and (Val^2)dihydro-cyclosporin, 219
Circumsporozoite protein:
  non-repetitive sezuence, *P. falciparum*, immunogenicity of, 187
Class II MHC antigens
  an uteroplacental macrophages, 707
Class II MHC expression on monocytes and dendritic cells, 303
Collagen, immune response to:
  and collagen arthritis, 619
  cellular and humoral, 611
Common idiotope:
  on human and murine monoclonal antibodies to Rye grass pollen allergen, 579
Complement:
  role in immunity to *Schistosoma mansoni*, 55
Complement-dependent cytotoxicity:
  induced by anti-*Trichomonas vaginalis* monoclonal antibodies, 63
Complement membrane attack, non-lethal:
  on human neutrophils, 71
Contrasuppressor circuit:
  non-specific, in Peyer's patches, 415
C-reactive protein:
  platelet responses to, 169
CR2/EBV receptor:
  structural and functional analysis, 47
CR1-receptor cycling:
  in phorbol ester-activated polymorphonuclear leucocytes, 325
Cyclosphosphamide:
  and expression of murine T-cell glycoproteins, 423
  effect on Kurloff cells, 477
Cyclosporin A;
  effect on Kurloff cells, 477
Cyclosporin and (Val^2)dihydro-cyclosporin:
  in chronic relapsing experimental allergic encephalomyelitis, 219
Cytolytic T cells, bovine, cloned:
  recognition of HSV1, 145
Cytotoxic T cells:
  restricted blocking by H-2K/D antibodies, 241

Delayed-type hypersensitivity, to PPD:
  dendritic cells and 5-hydroxytryptamine, 697
Dentritic cells:
  clustering precedes T-cell proliferation, 691
Dentritic cells, in synergy with 5-hydroxytryptamine:
  substitution for macrophages, 697
β-1, 3-D-glucan receptor:
  induction by retinoic acid or 1,25-dihydroxyvitamin D_3, 319
1,25-Dihydroxyvitamin D_3:
  regulation of transcription of tumour necrosis factor mRNA, 43

Eosinophil-activating factor:
  production stimulated by tumour necrosis factor, 545
Equine herpes virus-1:
  peptides recognized by equine lymphocytes, 193

Fermented milks:
  augmentation of immune response, 17

Glucocorticoids:
  suppression of production of tumour necrosis factor, 299
Growth hormone, human:
  stochastic humoral expression of epitopes of, 595
Gut-associated lymphoid tissue:
  ontogeny of rat macrophage subpopulations, 79

HLA-DR, and invariant chain expression, 551

Idiotopes:
  on monoclonal anti-HBsAg, 575
Idiotopes shared by human IgE and murine IgE anti-rye antibodies, 397
Idiotypic determinants:
  on monoclonal autoantibodies to Thy-1, 9
IgA plasma cells:
  influence of Peyer's patches on organ-specific distribution, 411

IgA responses:
in protein malnutrition, 25
IgE responses:
suppression by antigen inhalation, 591
IgM, bovine, identification of iso- and allotypes, 569
IL-1-induced B-cell proliferation, 277
IL-3-induced expulsion of worms and mucosal mast cell response in nude mice, 181
IL-2 receptor, bovine:
cloning of cDNA for, 603
Immunoglobulin levels, serum:
regulated by T cells emigrating from thymus to spleen during postpartum, 151
Immunoglobulin secretion, from rat hybridomas:
not impaired by inhibition of processing of *N*-linked oligosaccharides, 383
Immunomodulation:
by neuropeptide substance, P, 733
Immunosuppression:
by tetranactin, 471
Influenza virus infection:
and passive serum antibody, 349
Interdigitating cells:
interaction with lymphocytes *in vitro* and *in vivo*, 331
Interferon-gamma:
activation of human neutrophil oxygen metabolism and exocytosis, 499
effect on susceptibility of rat tumour cells to NK macrophages and cytotoxic T-cell killing, 291
role in T-cell responses to Semliki Forest virus-infected brain cells, 355
Interferon-γ and tumour necrosis factor, recombinant:
synergistic effects on rat thyroid cell growth and Ia antigen expression, 285
Interferon, murine:
augmentation of IgE receptor, 529
Intestinal hypersensitivity reactions:
rat, 119
Intra-epithelial lymphocytes:
showing NK cell activity against tumour cells, 111
Isotypes and allotypes of bovine IgM, 569

Killer cells, lymphokine activated:
lyse kidney cells, 729
Kurloff cells:
effects of cyclophosphamide and cyclosporin A on, 477

Large granular lymphocytes and NK activity:
after bone marrow transplantation, 105
Listeria monocytogenes:
protective immunity in neonatally thymectomized mice, 649
Locomotion, in PMN:
effect of protein kinase *C*, 715
Lung transplantation, rat:
a model of allograft rejection, 369
Lymphocyte subpopulations:
in sheep uterus, 157
Lymphokine-activated killer cells:
lyse kidney cells, 729

Macrophage activity:
in *M. lepraemurium* infection, 701
Macrophage IgE receptor expression:
augmentation by murine inferferons, 529
Macrophages:
role in LPS-induced lethality and tissue injury, 521
Mast cells, bone marrow derived, human:
similarities to murine mast cells, 669
Metabolic changes, in cultured cells:
mimicked by mycoplasma contamination, 125
MHC class II expression in retinal pigment epithelium:
lymphokine induced, 313
MHC gene expression and RNA synthesis in brain endothelium, 37
MHC-unrestricted T-cell cytotoxicity against tumour cells, 233
Mimicry of antigenic stimulation:
analysis of antibody responses induced by monoclonal anti-idiotypic antibodies, 1
Monoclonal antibodies:
to bovine T-cell antigens, 439
Monoclonal antibodies, bovine:
pan T cells, reactive with CD2, 165
Monocyte-like cell line U937:
dibutyryl cyclic AMP stimulation, model for monocyte functions, 483
Monocytes, human:
heterogeneity, 491
Mononuclear phagocyte system:
defective function in chronic nephritis, 87
Mycobacterium lepraemurium:
and macrophage activity, 701
Mycoplasma, contamination of cultured cells:
mimickery of metabolic changes by, 125

Natural antibodies, specificity of:
in fish species, 31
Natural killing:
modulation of by cyclo- and lipo-oxygenase inhibitors, 93
Nephritis, chronic, and defective mononuclear phagocyte function, 87
Neuropeptide, substance P:
immunomodulation by, 733
NK cell activity:
suppression by germinal seminal plasma, 451
NK cells:
failure to prevent host-versus-graft disease, 457

Ontogeny of rat macrophage subpopulations:
in gut-associated lymphoid tissue, 79
Oral tolerance:
genetic control of, 737
Oxidative phenomena:
in T-cell activation, 431
Oxygenase inhibitors:
and NK regulation, 93

Peyer's patches:
influence on organ-specific distribution of IgA plasma cells, 411
non-specific contrasuppressor circuit in, 415
Phorbol esters:
and human T-cell activation, 133
Pineal gland:
role in immunity, 465
Plasmodium falciparum:
immunogenicity of non-repetitive sequence of the circumsporozoite protein, 187
Platelet response to aggregated C-reactive protein, 169
Protein deprivation:
effect on antigen presentation, 683
Protein kinase *C*:
in PMN locomotion, 715
Protein malnutrition:
effect on IgA responses, 25

Rye grass pollen allergen:
human and murine monoclonal antibodies share a ccommon idiotope, 579

Salivary gland macrophages, resident:
function as accessory cells, 99
Schistosoma mansoni, immunity to:
role of complement, 55
vaccine-activated macrophages, 173
Secretory immune system, ocular:
effect of ageing, 403
Seminal plasma:
suppression of NK cell activity, 451
Starvation, acute and cell-mediated immunity, 677
Suppression, induced:
to experimental autoimmune thyroiditis, 199
Suppressor cells, adherent:
to Toxoplasma antigen, 643

T-cell activation:
role of oxidative phenomena, 431
T-cell activation by dendritic cells:
CD18-dependent clustering mitogen, 537
T-cell antigens, bovine:
monoclonal antibodies to, 439
T-cell cytotoxicity, MHC-unrestricted:
against tumour cells, 233
T-cell glycoproteins:
expression of, in cyclophosphamide-suppressed mice, 423
T-cell hybridomas, autoreactive:
stimulated by fetal calf serum, 255
T-cell mediated autoantibody response:
to mouse erythrocytes, 625
T-cell receptor, development:
effects of anti-CD3 antibodies, 639
T-cell subpopulations:
in venous blood draining pig thymus, 261
T cells, emigrating from thymus to spleen:
regulation of serum immunoglobulin levels, 151
Tetranactin:
immunosuppressive and anti-proliferative effects, 471
Thymosin alpha:
immunolocalization, 721
T lymphocytes in X/X*Sxr'* male mice:
absence of antigen recognition, 447
Tolerance, towards TNP, involves downregulation of an autoimmune attack, 205
Toxoplasma antigen:
adherent mononuclear suppressor cells, 643
Tryptase and chymase:
from dog mastocytoma lines, 339
$T8^+$ suppressor and contrasuppressor cells, human:
characterization of, 247
Tumour necrosis factor:
and natural cytotoxic cell lytic activities by a spleen cell factor, 663
stimulation of eosinophil-activating factor, 545
suppression of production by glucocorticoids, 299
Tumour necrosis factor and interferon-γ, recombinant:
synergistic effects on rat thyroid cell growth and Ia antigen expression, 285
Tumour necrosis factor beta:
effects on neutrophils, 507

Vaccines against cattle tick, 363